

Div. of Scott Electric • 412-605-2992 (Direct#)

# 6" USA Tuck Point Guard

with Universal Collar — fits Bosch Dewalt, Fein, Hilti, Makita, Metabo

Free Grinder / Guard! Vac Packages





6" Blade Capacity ! 1-5/8" Depth-of-Cut ! Superior Visibility, Handling Maximum Production, Versatility: Cut Inside Wall Corners, Fit in Tight Spaces

# Tuck Pointing Crack Chasing Tile & Wall Sawing Guard shown attached to grinder,

\$195.00 - Free w/ 20-blade purchase.

\* requires purchase of 10-diamond

Fein Grinder \$319.00

Guard w/ 13 Amp

blades.

HD Strong, Made of USA Aircraft Aluminum: 50% lighter vs. a Bosch, Dewalt or Metabo shroud. - reduce the weight, increase productivity!

- 2" Dust Port: Captures more dust, decreases visible dust, decreases jams, increases production!
- Universal Collar use the grinder of your preference: universal collar fits Bosch, Dewalt, Fein Hilti, Makita & Metabo angle grinders — and battery angle grinders!
- Retractable Corner Cover: cut into-and-out-of inside wall corners, tight areas & A+ for crack chasing — maintain dust control, increase overall productivity & versatility plus nothing to disassembly or parts to lose!

Free An	gle Grinder Package –	<ul> <li>with Diamond Blade P</li> </ul>	urchase
Metabo W11-125Q 5", 11 Amp, 11000 RPM	Metabo W13-150Q 6", 12 Amp, 10000 RPM	Makita 9565CV 5", 13 Amp, 2800-10500 RPM	Fein CG13-150 6", 13 Amp, 9300 RPM
* Free with (20) blade purchase.	* Free with (25) blade purchase.	* Free with (30) blade purchase.	* Free with (20) blade purchase.
<ul> <li>perfect ergonomics</li> <li>Quick-Lok blade change, no sp</li> <li>Longer service life, more power patented dust protection - up to more torque</li> </ul>	handle circumference in its class for	Slide on/off switch for continuous tool use Variable speed, 2800 - 10500 RPM SJS technology is a mechanical clutch system (no electronics) that helps prevent motor and gear damage for longer life Soft-start, low amp draw motor Dust protection grille - extensive protection from excessive dust.	<ul> <li>Slide on/off switch for continuous tool use</li> <li>Solid metal gear head - no plastic components</li> <li>Soft-start, low amp draw motor w/ dust protection from excessive dust</li> <li>Slip-clutch for minimize kick-back when blade jams</li> <li>Low speed, high torque motor - maximizes cooling, especially important when tool is being used for 8-hour days.</li> </ul>

## Silica Dust Extractors (5)

#### \$649.95

### 153 CFM, 9.3 Gallon, Low 9.0 Amp Draw Motor

Fein vac w/ upgrades

\$759.95 Fein vac w/ upgrades & 6" USA Dust Guard



- > Convenient Portability, Compact Handling: - Large, non-marking wheels & pull handle to transport the vac over rough rough terrain, up/down stairs, safe to use on scaffold with lock-in casters.
- > Heavy Duty, Extremely Well-Equipped, includes:
  - wet/dry tool kit (right) ~ go from dry-to-wet without removing the filter (no conversation)
  - 1-1/4" x 13' hose
  - 98" H20 for powerful lifting power
  - High Efficiency Cartridge Filter
  - Automatic Filter Clean.
- Included Upgrades w/ Fein Vac: (5) Air Pulse Filter Bags & 2" hose cuff to attach the 6" USA Dust Guard to the 1-1/4" hose.



RULE Breathe Safer





Shown above: 1-Motor, 13-Gal Tank w/ Power Tool

= :\PRO

Outlet.

### HEPA Certified / OSHA Silica Dust Compliant (4 models)

- > Self-Cleaning # No Electronics or Air Pulsing # Filters Stay Clean Why pay for electronics to self-clean the filter ... and still need a bag?
- > Powerful Suction Sustained Without Electronics: tanks fill 100% without suction drop — maximize productivity!
- > MOTORS: Uses the same Ametek 2-stage motors (right, used in the large concrete dust extractors) vs. smaller, high CFM, 1-stage motors (far right) used in competitive vacs don't be misled by specification numbers, 2-stage motors always outperform and outlast!





\$639.00 10-Gal 1-Motor 125 CFM

\$670.00 13-Gal 1-Motor 125 CFM

\$1,340.00 13-Gal 2-Motor 250 CFM, holds 50 lb Silica Dust.

Non-Stop Performance

**Maximum Production.** 

Safety & Durability

Powerful, XL Life 2-Stage Motors

3 MODELS:

2.5-Gal, 150 CFM Backpack Dust Extractor \$430.00



helps prevent the motor and circuit from overheating — *eliminates* needing an extension cord! All three (3) models operate from a 20A circuit while using a 13A power tool!

> POWER TOOL OUTLET: on 1-motor, 10 & 13-gallon models.

#### HEPA PRO: 100% HEPA Certified for EPA RRP & OSHA Silica Dust Standards Hazardous material recovery of asbestos, bacterial, lead paint, mold, silica dust, etc.

> POWER CORD: Heavy gauge (12ga x 50'),

> FILTRATION: 5-Stage, Air Pulse collection bag, Dacron cover bag (washable), protects the True HEPA Filter

- > 100% Interchangeable (3-models): Motor heads, tanks, filters, hoses, parts.
- > HD Durable includes: 1.5" x 10' hose (2" w 2-motor), complete tool kits, tank models also include: (5) Air Pulse Bags & 2" Cuff.

### Vac Savings: Save \$50 on any Vac

Save \$50.00 on price of any vac with purchase of a blade package (receive a free 6" USA Dust Guard or grinder — Metabo, Makita or Fein with blade purchase.) See above for vac pricing.









Air Pulse HD, "Self-Clean" Vac Bag — [5] included with each vac:

- > Superior Durability fills to 100% capacity ~ no tearing or bursting
- > Work longer, Use less bags increase production, save on replacement bags
- > Cartridge filter stays clean you may never have to buy another one!



### TUCK POINT BLADES — Hard Mortar





Solid - Speed Tuck

Solid - Pro

Sandwich & Solid









**Features** 

#1 Seller for smoothest cutting on hardest mortar and zero chipping ~ No sandblasting your partner. Faster, smoother cutting than a traditional Segmented Sandwich Blade.

#1 Seller for Hardest Mortar & Longest Life. #1 Selling Solid Tuck Blade: Sharp, smooth, fast grinding & longest life on hard mortar.

No chipping on hardest mortar or concrete. Longest lasting blade w/ exception performance.

\$51.00

\$47.00

\$51.00

\$68.00

LW0312U

254322

111876

SS4537C

3-3/8" x .125

3" x .250

RUBY RED - Precision mortar removal ~ No chipping, 4" x .250 exceptional performance on hardest mortar. Cuts over

4.5" x .250 \$44.00

720767 4.5" x .375

5" x .250

5" x .375

6" x .250

720779 \$36.00 720760 \$46.00 720774 \$39.00

TURBO RIM SANDWICH BLADES: 30% - 70% Faster

& Smoother Cutting Performance. Excels on hard

XB0425C 107369

XB0325C

XB4537C \$65.00 107380 \$50.00 107460 \$72.00

\$39.00

\$44.00

\$47.00

\$75.00

352696 \$31.00 SC4525C \$32.00

> \$35.00 109092

\$56.00 SB0547C \$75.00 SS0625C \$89.00

### Sandwich

## Regular Mortar

98123

#### Solid

\$60.00

4" x .250 4.5" x .250 4.5" x .375 5" x .250 5" x .375 6" x .250



- Sandwich Segmented -Silver
- Consistent quality, life & performance
- Excels on standard mortar.

XS0425C \$24.00 107284 \$27.00 107302 \$38.00 98054 \$29.00 XS0537C \$44.00 \$59.00 406351



- Solid Segment
- Premium

SC0525C

SC0625C

- Easy, smooth grinding - no jumping or chipping
- Consistent quality, performance and life.

SS0425C	\$39.00
SS4525C	\$44.00
SX4537C	\$50.00
SS0525C	\$49.00
158109	\$66.00
SS0625C	\$64.00

#### SMALL DIAMETER — Hard Mortar / Concrete

Turbo & Segment










**HD Segmented** 



Features	X-Hard Mortar, Stone
reatures	A Tiara Mortar, Otoric

4.5" x .085	261112	\$31.00
5" x .085	205582	\$34.00
6" x .085	253598	\$44.00



PTS4508C \$24.00 PTS0508C \$26.00 PTS0609C \$37.00

Brick, Block, Concrete

ST4508C \$15.00 ST0508C \$17.00

\$24.00

Hard Mortar, Concrete

97092	\$35.00
97093	\$38.00
97066	\$48.00

A+ Value, XL Life Concrete & Masonry

\$13.00

8.00	DS0508C	\$15.00
8.00	DS0608C	\$18.00

DS4508C



ST0609C

## CRACK CHASING — "V" Segment



DESCRIPTION	SIZE	SUPREM	E GRADE
Laser welded, V-shaped blade for easy routing or	4.5" x .250x 7/8"	CC4525C	\$65.00
	4.5" x .375 x 7/8"	166497	\$85.00
following cracks in concrete	5" x .250 x 7/8"	CC0525C	\$79.00
	5" x .375 x 7/8"	406626	\$89.00
Also used to re-shape decorative V-shaped joints.	5" x .500 x 7/8"	CC0550C	\$149.00
	6" x .250 x 7/8"	CC0625C	\$102.00
	6" x .375 x 7/8"	CC0637C	\$139.00

TILE, CERAMIC, MARBLE, GLAZED BRICK — Continuous Rim! Razor Sharp Edge! Wet/Dry Cuttin	TILE, CERAMIC, MARBLE,	GLAZED BRICK — Continuous Rim!	Razor Sharp Edge	Wet/Dry Cutting
--	------------------------	--------------------------------	------------------	-----------------



ULTRA-THIN, HIGH PRECISION
 Fast, smooth cutting in ceramic or fiberglass and other soft, porous tiles

 Continuous diamond rim produces a smooth clean edge.

TD4506C	4.5" x .050 x 7/8" - 8MM	\$17.00
TD0506C	5" x .050 x 7/8" - 10MM	\$19.00
TD0606C	6" x .060 x 5/8" - 8MM	\$21.00

A+ for cutting through glazed brick and mortar.

#### 



SMOOTH, FAST, PRECISION CUTTING

- Porcelain & granite are extremely dense and hard to cut, the Porcelain / Granite Blade provides smooth, precision, chipfree edges through the hardest porcelain, granite, glass, gemstone
- Cuts the most critically, hardest materials including: porcelain, natural stone, rocks, minerals, gemstones, glass, terrazzo, laboratory specimens.

TB4506C	4.5" x .060 x 7/8" - 7MM	\$20.00
TB0506C	5" x .060 x 7/8" - 7MM	\$22.00
TB0606C	6" x .063 x 5/8" - 7MM	\$28.00
TB0706C	7" x .063 x 5/8" - 10MM	\$43.00
TB0806C	8" x .063 x 5/8" - 7MM	\$48.00
TB1006C	10" x .065 x 5/8" - 10MM	\$67.00
TB1208U	12" x .080 x 1"-20mm - 10MM	\$97.00
TB1208M	12" x .080 x 60MM - 10MM	\$97.00
TB2010M	20" x .100 x 50/60MM	Please Call

Heat dissipating J-slots around the perimeter of the blade help to keep it running cooler for extended blade

PORCELAIN — Continuou	ıs Rim ! Thinnest Width !	Dry / Wet Sawi	ing ! Razor-Edge Fini	sh.
	Diamond Segment Mesh — A+ for	SB4505C	4.5" x .050 x 7/8"	\$30.00
	cutting very thin mortar joints,	SB0505C	5" x .050 x 7/8"	\$33.00
	porcelain, glazed brick, etc.	SB0655U	6" x .055 x 7/8" - U	\$42.00
The art of the second of the s	Smooth, fast, chip-free cutting.	SB0755U	7" X .055 X 7/8" - U	\$45.00
	Reinforced center core for added	SB0855U	8" x .055 x 7/8"-U	\$54.00
	strength	SB1060C	10" x .060 x 5/8"	\$67.00

