

USA

Dust Guard




Div. of Scott Electric • 412-605-2992 #Tech Sup.

SURFACE PREP TOOLING

Grinding • Coating Removal

Semi-Metal & Resin Pads



CUSTOM: 5-Full PCD w Diamond Bar — Coating Removal

Oversize 3" Diamond Pad with 5-Full Round PCD Segments & Diamond Bar provides greater surface contact, significant longer life AND faster removal on extremely hard or thick or difficult to remove coatings. Only for use on 30" and larger machines. CUSTOM MADE: lead time is 4 weeks, minimum order is 24 pcs. Made for individual plate configurations.

Plate	Part No	Direction	Part No	Direction	Price EA
Husqvarna Redi-Lock®	RL-PCD5-D-R	Right	RL-PCD5-D-L	Left	\$138.00
Fast Change	FC-PCD5-D-R	Right	FC-PCD5-D-L	Left	\$138.00
SASE	HTC-PCD5-D-R	Right	HTC-PCD5-D-L	Left	\$138.00
HTC EZ	EZ-PCD5-D-R	Right	EZ-PCD5-D-L	Left	\$138.00
Lavina, Blastra, Edco	LV-PCD5-D-R	Right	LV-PCD5-D-L	Left	\$138.00
Terrco, STI	TS-PCD5-D-R	Right	3P-PCD5-D-L	Left	\$138.00



TRAPEZOID - 3-Hole (M6) - 2 BAR DIAMOND -

Resurfaces damaged concrete floors to produce a superior concrete surface ready for polishing, coating or sealing. 2-bar segments also removes lippage and light adhesives and coatings. GRITS:
18 Grit - Can be used as 1st step to grind a rough concrete slab, remove coating up to 12 mil thick
30 Grit - Can be used to expose aggregate, remove scratches from 18 grit, remove thin-mill coatings
60 Grit - Can be used as 1st step on bare concrete, remove scratches from 30 grit previous grind
120 Grit - Used after the 60 grit metal to remove 60 grit scratches.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
EXTRA SOFT	18	HTC-2B-XS18	\$28.00	SOFT	18	HTC-2B-S18	\$28.00
	30	HTC-2B-XS30	\$28.00		30	HTC-2B-S30	\$28.00
	60	HTC-2B-XS60	\$28.00		60	HTC-2B-S60	\$28.00
	120	HTC-2B-XS120	\$28.00		120	HTC-2B-S120	\$28.00
MEDIUM	18	HTC-2B-M18	\$28.00	HARD	18	HTC-2B-H18	\$28.00
	30	HTC-2B-M30	\$28.00		30	HTC-2B-H30	\$28.00
	60	HTC-2B-M60	\$28.00		60	HTC-2B-H60	\$28.00
	120	HTC-2B-M120	\$28.00		120	HTC-2B-H120	\$28.00



TRAPEZOID - 3-Hole (M6) - 2 ARROW DIAMOND -

70mm Tall Diamond Arrow Segments. Leading edge - plow design - provides both aggressive coating removal and concrete grinding. Resurfaces damaged floors to produce a superior concrete surface ready for polishing, coating or sealing. Use wet or dry.

MEDIUM	18	HTC-A-S18	\$30.00	MEDIUM	30	HTC-A-M30	\$30.00
--------	----	-----------	---------	--------	----	-----------	---------



TRAPEZOID - 3-Hole (M6) - 2 ROUND DIAMOND -

30% more segment mass than Double Bar, larger surface area reduces swirl marks, 1" x 3/8". GRITS - 18, 30, 60, 120 - See above descriptions.

EXTRA SOFT				SOFT			
18	HTC-2R-XS18	\$35.00	18	HTC-2R-S18	\$35.00		
30	HTC-2R-XS30	\$35.00	30	HTC-2R-S30	\$35.00		
60	HTC-2R-XS60	\$35.00	60	HTC-2R-S60	\$35.00		
120	HTC-2R-XS120	\$35.00	120	HTC-2R-S120	\$35.00		
MEDIUM							
18	HTC-2R-M18	\$35.00	18	HTC-2R-M18	\$35.00		
30	HTC-2R-M30	\$35.00	30	HTC-2R-M30	\$35.00		
60	HTC-2R-M60	\$35.00	60	HTC-2R-M60	\$35.00		
120	HTC-2R-M120	\$35.00	120	HTC-2R-M120	\$35.00		



TRAPEZOID - 3-Hole (M6) - TUNGSTEN CARBIDE SCRAPER -

Two (2) 1" x 1" carbide chips mounted to 3 Hole (M6) Trapezoid. 8-useable edges per chip. Removes thick and/or extreme hard coatings, mastics, tar, rubber, ice, yellow safety paint. Scarifies concrete, removes high spots, create a rough finish. Expected footage: 4000 sq ft per edge.

6-pc Trapezoid Set	CS-6SET	\$525.00
--------------------	---------	----------



TRAPEZOID - 3-Hole (M6) - 2 PCD DIAMOND BAR -

Used to remove medium-heavy coatings. The PCD's remove coatings and the diamond segment (25 grit) prevents a cheese-grade effect on the floor while providing a conventional grind in one pass. Removes coatings, acrylics, epoxies, mastic, thin set, paint. PCD's are directional - clockwise (R) and counterclockwise (L) - and specific to the rotation of the plates on your machine.

PCD's are harder than diamonds they get under and scrape or cut the coating vs. a diamond segment that grinds which causes friction, which causes the coating to melt. If the coating is too thick or hard, try the PCD w/o the diamond bar (next), heavier machine, carbide scrapers or use a scarifer.

DIRECTION	PART#	PRICE	DIRECTION	PART#	PRICE
Right	HTC-PCD-D-R	\$74.00	Left	HTC-PCD-D-L	\$74.00



TRAPEZOID - 3-Hole (M6) - 1 FULL ROUND PCD -

Larger PCD segment with Protection Button. Provides less surface contact but very effective on extremely hard or thick or difficult to remove coatings.

Right	HTC-PCD-FR-R	\$78.00	Left	HTC-PCD-FR-L	\$78.00
-------	--------------	---------	------	--------------	---------

BLASTRA, EDCO, LAVINA, OTHERS - 2 ROUND DIAMOND -



Quick Change Tooling for easy slide-in and out of plates. Can be used on LAVINAa X-Series and older model machines, but older model tooling cannot be used on X-Series machines. Larger surface area provides 30% more segment mass than Double Bar (below), to reduce swirl marks. GRITS:
 18 Grit - Can be used as 1st step to grind a rough concrete slab
 30 Grit - Can be used to expose aggregate, remove scratches from 18 grit
 60 Grit - Can be used as 1st step on bare concrete, remove scratches from previous 30 grit grind
 120 Grit - Used after the 60 grit metal to remove 60 grit scratches.

MEDIUM	18	LV-2R-M18	\$47.00	HARD	18	LV-2R-H18	\$47.00
	30	LV-2R-M30	\$47.00		30	LV-2R-H30	\$47.00
	60	LV-2R-M60	\$47.00		60	LV-2R-H60	\$47.00
	120	LV-2R-M120	\$47.00		120	LV-2R-H120	\$47.00
				SOFT	18	LV-2R-S18	\$47.00

BLASTRA, EDCO, LAVINA, OTHERS - 1 & 2 BAR DIAMOND -



Quick Change Tooling. Used to resurface damaged concrete floors to produce a superior concrete surface ready for polishing, coating or sealing. Double rectangular segments also removes lippage and light adhesives and coatings.

SOFT 1-Bar	18	LV-1B-S18	\$30.00	SOFT 2-Bar	18	LV-2B-S18	\$32.00
---------------	----	-----------	---------	---------------	----	-----------	---------

BLASTRA, EDCO, LAVINA, OTHERS - 2 PCD -



Quick Change Tooling. PCD for removing coatings and the diamond segment (25 grit) prevents a cheese-grade effect on the floor while providing a conventional grind in one pass. Removes coatings, acrylics, epoxies, mastic, thin set, paint. PCD's are directional - clockwise (R) and counterclockwise (L) - and specific to the rotation of the plates on your machine.

Right		LV-PCD-D-R	\$70.00	Left		LV-PCD-D-L	\$70.00
-------	--	------------	---------	------	--	------------	---------

HTC Easy Change - 2 BAR DIAMOND -



Resurfaces damaged concrete floors to produce a superior concrete surface ready for polishing, coating or sealing. Double rectangular segments also removes lippage and light adhesives and coatings. GRITS:

- 18 Grit - Can be used as 1st step to grind a rough concrete slab, remove coating up to 12 mil thick
- 30 Grit - Can be used to expose aggregate, remove scratches from 18 grit, remove thin-mill coatings
- 60 Grit - Can be used as 1st step on bare concrete, remove scratches from 30 grit previous grind
- 120 Grit - Used after the 60 grit metal to remove 60 grit scratches.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
SOFT	18	EZ-2B-S18	\$30.00	MEDIUM	18	EZ-2B-M18	\$30.00
	30	EZ-2B-S30	\$30.00		30	EZ-2B-M30	\$30.00
	60	EZ-2B-S60	\$30.00		60	EZ-2B-M60	\$30.00
	120	EZ-2B-S120	\$30.00		120	EZ-2B-M120	\$30.00
HARD	18	EZ-2B-H18	\$30.00				
	30	EZ-2B-H30	\$30.00				
	60	EZ-2B-H60	\$30.00				
	120	EZ-2B-H120	\$30.00				

HTC Easy Change - 5 PCD BAR DIAMOND -



Used to remove medium-heavy coatings. The PCD's remove coatings and the diamond segment (25 grit) prevents a cheese-grade effect on the floor while providing a conventional grind in one pass. Removes coatings, acrylics, epoxies, mastic, thin set, paint. PCD's are directional - clockwise (R) and counterclockwise (L) - and specific to the rotation of the plates on your machine.

5-PCD's assures greater coverage for coating removal, helping to assure one pass instead of multiple passes for improved productivity.


Right	EZ-PCD5-D-R	\$119.00	Left	EZ-PCD5-D-L	\$119.00
-------	-------------	----------	------	-------------	----------

HTC Easy Change - 1 PCD BAR DIAMOND -



Half-Round PCD segment with 25 Grit Diamond Bar & Protection Pin. Provides less surface contact but very effective on extremely hard or thick or difficult to remove coatings. The diamond segment (25 grit) & protective pin prevents a cheese-grade effect on the floor while providing a conventional grind in one pass.

Right	EZ-PCD1-D-R	\$98.00	Left	EZ-PCD1-D-R	\$98.00
-------	-------------	---------	------	-------------	---------



HUSQVARNA Redi-Lock - 2 BAR DIAMOND -

Resurfaces damaged concrete floors to produce a superior concrete surface ready for polishing, coating or sealing. Double rectangular segments also removes lippage and light adhesives and coatings. GRITS:

- 18 Grit - Can be used as 1st step to grind a rough concrete slab, remove coating up to 12 mil thick
- 30 Grit - Can be used to expose aggregate, remove scratches from 18 grit, remove thin-mill coatings
- 60 Grit - Can be used as 1st step on bare concrete, remove scratches from 30 grit previous grind
- 120 Grit - Used after the 60 grit metal to remove 60 grit scratches.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
SOFT	18	RL-2B-S18	\$45.00	MEDIUM	18	RL-2B-M18	\$45.00
	30	RL-2B-S30	\$45.00		30	RL-2B-M30	\$45.00
	60	RL-2B-S60	\$45.00		60	RL-2B-M60	\$45.00
	120	RL-2B-S120	\$45.00		120	RL-2B-M120	\$45.00
HARD	18	RL-2B-H18	\$45.00				
	30	RL-2B-H30	\$45.00				
	60	RL-2B-H60	\$45.00				
	120	RL-2B-H120	\$45.00				



HUSQVARNA Redi-Lock - 2 ARROW DIAMOND -



70mm Tall Diamond Arrow Segments. Leading edge - plow design - provides both aggressive coating removal and concrete grinding. Resurfaces damaged floors to produce a superior concrete surface ready for polishing, coating or sealing. Use wet or dry.

SOFT	18/20	RL-2A-XS18	\$38.00	EXTRA SOFT	18/20	RL-2A-S18	\$38.00
					30/40	RL-2A-S30	\$38.00
				MEDIUM	18/20	RL-2A-M18	\$38.00

HUSQVARNA Redi-Lock - 2 PCD BAR DIAMOND -



Used to remove medium-heavy coatings. The PCD's remove coatings and the diamond segment (25 grit) prevents a cheese-grade effect on the floor while providing a conventional grind in one pass. Removes coatings, acrylics, epoxies, mastic, thin set, paint. PCD's are directional - clockwise (R) and counterclockwise (L) - and specific to the rotation of the plates on your machine.

If the coating is too thick or hard, try the PCD w/o the diamond bar, heavier machine, carbide scrapers or use a scarifer.

Right	RL-PCD-D-R	\$77.00	Left	RL-PCD-D-L	\$77.00
Right - w/o Diamond Bar	RL-PCD-R	\$65.00	Left - w/o Diamond Bar	RL-PCD-L	\$65.00



FAST CHANGE - 2 ROUND DIAMOND -

30% more segment mass than Double Bar, larger surface area reduces swirl marks , 1" x 3/8".
 18 Grit - Can be used as 1st step to grind a rough concrete slab
 30 Grit - Can be used to expose aggregate, remove scratches from 18 grit
 60 Grit - Can be used as 1st step on bare concrete, remove scratches from previous 30 grit grind
 120 Grit - Used after the 60 grit metal to remove 60 grit scratches.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
SOFT	18	FC-2R-S18	\$38.00	MEDIUM	18	FC-2R-M18	\$38.00
	30	FC-2R-S30	\$38.00		30	FC-2R-M30	\$38.00
	60	FC-2R-S60	\$38.00		60	FC-2R-M60	\$38.00
	120	FC-2R-S120	\$38.00		120	FC-2R-M120	\$38.00
HARD	18	FC-2R-H18	\$38.00				
	30	FC-2R-H30	\$38.00				
	60	FC-2R-H60	\$38.00				
	120	FC-2R-H120	\$38.00				



FAST CHANGE - 2 BAR DIAMOND -

Resurfaces damaged concrete floors to produce a superior concrete surface ready for polishing, coating or sealing. Double bar segments also removes lippage and light adhesives and coatings.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
SOFT	18	FC-2B-S18	\$28.00	MEDIUM	18	FC-2B-M18	\$28.00
	30	FC-2B-S30	\$28.00		30	FC-2B-M30	\$28.00
	60	FC-2B-S60	\$28.00		60	FC-2B-M60	\$28.00
	120	FC-2B-S120	\$28.00		120	FC-2B-M120	\$28.00
HARD	18	FC-2B-H18	\$28.00				
	30	FC-2B-H30	\$28.00				
	60	FC-2B-H60	\$28.00				
	120	FC-2B-H120	\$28.00				



FAST CHANGE - 2 PCD BAR DIAMOND -

- 2-Quarter Round PCD with 25 Grit Diamond Bar protection
- Aggressive coating removal with minimal surface profiling

DIRECTION	PART#	PRICE	DIRECTION	PART#	PRICE
Right	FC-PCD-2D-R	\$78.00	Left	FC-PCD-2D-L	\$78.00

USA

Dust Guard



SURFACE PREP DIAMONDS

Grinding • Coating Removal

Div. of Scott Electric • 412-605-2992, #Tech Sup.



PUCK - 2.5" BEVELED DIAMOND -

- Extreme Durability, Amazing Results & Maximum Yield (20,000 - 30,000 sf²).
- Large beveled segments also removes lippage and light adhesives and coatings
- Wedge mount fits Terrco Plate. **Use wet or dry.**



BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
MEDIUM	16	25P-4S-M16	\$75.00	MEDIUM	60	25P-4S-M60	\$75.00
	30	25P-4S-M30	\$75.00		120	25P-4S-M120	\$75.00



PUCK - 3" BEVELED DIAMOND -

- Extreme Durability, Amazing Results & Maximum Yield (20,000 - 30,000 sf²).
- Large beveled segments also removes lippage and light adhesives and coatings
- Wedge mount fits Terrco Plate. Use wet or dry.



BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
MEDIUM	16	3P-4S-M16	\$69.00	MEDIUM	60	3P-4S-M60	\$69.00
	30	3P-4S-M30	\$69.00		120	3P-4S-M120	\$69.00



PUCK - 3" PCD BAR DIAMOND -

- 2 PCD Segments with 25 Grit Diamond Bar
- Surest tool to remove soft to extremely hard, thin or thick adhesives, sealers and coatings including the hardest acrylics or epoxies
- Wedge mount fits Terrco Plate.



DIRECTION	PART#	PRICE	DIRECTION	PART#	PRICE
Right	TER-PCD-2D-R	\$99.00	Left	TER-PCD-2D-L	\$99.00



PUCK - 5 PCD "Bear Claw" w/ 5 ARROW DIAMOND -

- PCD with arrow segment diamonds are designed to remove coatings over smooth or troweled surfaces and will not damage the concrete
- Arrow segments act as a stabilizer and depth guide to reduce the gauging of the floor caused by the aggressive PCD segments. Wedge mount fits Terrco Plate.



DIRECTION	PART#	PRICE	DIRECTION	PART#	PRICE
Right	TER-PCD-4A-R	\$128.00	Left	TER-PCD-4A-L	\$128.00



PUCK - 2" RAP DIAMOND -

- Extreme Durability, Amazing Results & Maximum Yield (15,000 + sf²). Use wet or dry.
- 3 wedge segments also removes lippage and light adhesives and coatings
- Resurfaces damaged floors to produce a concrete surface ready to polish, coat or seal.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
MEDIUM	16	2P-3S-M16	\$39.00	MEDIUM	60	2P-3S-M60	\$39.00
	30	2P-3S-M30	\$39.00				



PUCK - 3" STRAIGHT EDGE DIAMOND -

- Universal, Multi-Mount Hole Pattern
- Extreme Durability, Amazing Results & Maximum Yield (20,000 +sf²). Use wet or dry.
- 10 diamond segments also removes lippage and light adhesives and coatings
- Resurfaces damaged floors to produce a concrete surface ready to polish, coat or seal.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
SOFT	16	UP-39-S16	\$64.00	MEDIUM	16	UP-39-M16	\$64.00
	30	UP-39-S30	\$64.00		30	UP-39-M30	\$64.00
	60	UP-39-S60	\$64.00		60	UP-39-M60	\$64.00
	120	UP-39-S120	\$64.00		120	UP-39-M120	\$64.00
HARD	16	UP-39-H16	\$64.00				
	30	UP-39-H30	\$64.00				
	60	UP-39-H60	\$64.00				
	120	UP-39-H120	\$64.00				



PUCK - 3" BEVELED EDGE DIAMOND -

- Universal, Multi-Mount Hole Pattern
- Extreme Durability, Amazing Results & Maximum Yield (20,000 +sf²). Use wet or dry.
- 10 diamond segments also removes lippage and light adhesives and coatings
- Resurfaces damaged floors to produce a concrete surface ready to polish, coat or seal.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
MEDIUM	16	UP-37-M16	\$64.00	MEDIUM	100	UP-37-M100	\$64.00
	30	UP-37-M30	\$64.00		200	UP-37-M200	\$64.00
	50	UP-37-M50	\$64.00		400	UP-37-M400	\$64.00
	70	UP-37-M70	\$64.00				





PLUG - 2 x 3" BEVELED 10 SEGMENT DIAMOND -

- Extreme Durability, Amazing Results & Maximum Yield (20,000 +sf²). Use wet or dry.
- 10 diamond segments also removes lippage and light adhesives and coatings
- Resurfaces damaged floors to produce a concrete surface ready to polish, coat or seal.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
SOFT	16	GP-3P-S16	\$69.00	MEDIUM	16	GP-3P-M16	\$69.00
	30	GP-3P-S30	\$69.00		30	GP-3P-M30	\$69.00
	60	GP-3P-S60	\$69.00		60	GP-3P-M60	\$69.00
	120	GP-3P-S120	\$69.00		120	GP-3P-M120	\$69.00
HARD	16	GP-3P-H16	\$69.00				
	30	GP-3P-H30	\$69.00				
	60	GP-3P-H60	\$69.00				
	120	GP-3P-H120	\$69.00				



PLUG - 2 x 3" ARROW 5 SEGMENT DIAMOND -

- Extreme Durability, Amazing Results & Maximum Yield (20,000 +sf²). Use wet or dry.
- 70MM Tall Diamond Arrow Segments
- Leading edge, plow design provides both aggressive coating removal and concrete grinding
- Resurfaces damaged floors to produce a concrete surface ready to polish, coat or seal.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
MEDIUM	16	AP-3P-M16	\$78.00				



PLUG - 2" SOLID DIAMOND -

- Extreme Durability, Amazing Results & Maximum Yield (20,000 +sf²). Use wet or dry.
- Solid diamond segment also removes lippage and light adhesives and coatings
- Resurfaces damaged floors to produce a concrete surface ready to polish, coat or seal.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
MEDIUM	16	2P-SS-M16	\$47.00	MEDIUM	100	2P-SS-M60	\$47.00
	30	2P-SS-M30	\$47.00		120	2P-SS-M120	\$47.00



PLUG - 2" X-SEGMENT DIAMOND -

- Extreme Durability, Amazing Results & Maximum Yield (20,000 +sf²). Use wet or dry.
- X-diamond segment also removes lippage and light adhesives and coatings
- Resurfaces damaged floors to produce a concrete surface ready to polish, coat or seal.

BOND	GRIT	PART#	PRICE	BOND	GRIT	PART#	PRICE
MEDIUM	20	2P-X-M20	\$47.00				



PLUG - 2", 2 PCD -

- Twin Full Round PCD with Diamond Wear Button
- Surest tool to remove soft to extremely hard, thin or thick adhesives, sealers, hardest acrylics

DIRECTION	PART#	PRICE	DIRECTION	PART#	PRICE
Right	TER-PCD-2S-R	\$149.00	Left	TER-PCD-2S-L	\$149.00

USA

Dust Guard



POLISHING PADS For Hand Polishers Semi-Metal & Resin Pads

Hand Polishing Pads



RESIN POLISHING PADS

- 100% high quality resin bond for extra durability and producing the highest quality finish under the heaviest machines
- Lower grits (50 - 200) are metal impregnated (semi-metal)
- For use on all surfaces: concrete, marble or granite, terrazzo, engineered stone.
- Wet or dry use. Velcro backing.

SIZE	GRIT	PART#	PRICE	SIZE	GRIT	PART#	PRICE
3" x 3mm	50	R350	\$16.00	4" x 3mm	50	R450	\$17.00
	100	R3100	\$16.00		100	R4100	\$17.00
	200	R3200	\$16.00		200	R4200	\$17.00
	400	R3400	\$16.00		400	R4400	\$17.00
	800	R3800	\$16.00		800	R4800	\$17.00
	1500	R31500	\$16.00		1500	R41500	\$17.00
	3000	R33000	\$16.00		3000	R43000	\$17.00
5" x 3mm	50	R550	\$25.00	7" x 3mm	50	R750	\$42.00
	100	R5100	\$25.00		100	R7100	\$42.00
	200	R5200	\$25.00		200	R7200	\$42.00
	400	R5400	\$25.00		400	R7400	\$42.00
	800	R5800	\$25.00		800	R7800	\$42.00
	1500	R51500	\$25.00		1500	R71500	\$42.00
	3000	R53000	\$25.00		3000	R73000	\$42.00

COPPER TRANSITIONAL PADS



- Full copper bond polishing pads (not copper flakes added to the resin)
- Will last substantially longer than even our 100% Premium Resin Pads
- Use the copper bond pads to shape and start the polishing process and extend the life of the lower grit pads, then seamlessly switch over to the above Premium Resin Pads at 400 to finish the polishing process
- For faster stock removal on concrete, marble, granite, terrazzo, engineered stone
- Cut of the diamonds and speed of production will increase
- Dry & wet use. Velcro backing.

SIZE	GRIT	PART#	PRICE	SIZE	GRIT	PART#	PRICE
4"	30	CP430	\$22.00	5"	30	CP530	\$28.00
	50	CP450	\$22.00		50	CP550	\$28.00
	100	CP4100	\$22.00		100	CP5100	\$28.00
	200	CP4200	\$22.00		200	CP5200	\$28.00
	400	CP4400	\$22.00		400	CP5400	\$28.00

FLEXIBLE METAL DOTS



- When a cup wheel is too aggressive or when the risk of gouging is too great Metal Dots provide the same results but are flexible which minimizes the risk of over scratching
- Ideal for removing mastics and sealers, providing fast cutting results and are ideal for edging in the concrete polishing process
- A+ with hand held grinders as well as light weight walk behind machines
- Used for heavy to medium grinding of granite, concrete and on other types of stone
- As a pure metal bonded diamond they are significantly more aggressive and longer lasting than all of the above resin and resin-metal polishing pads. Dry & Wet Use. Velcro backing.

SIZE	GRIT	PART#	PRICE	SIZE	GRIT	PART#	PRICE
3"	30	FD330	\$29.00	4"	30	FD430	\$39.00
	50	FD350	\$29.00		50	FD450	\$39.00
	100	FD3100	\$29.00		100	FD4100	\$39.00
	200	FD3200	\$29.00		200	FD4200	\$39.00
5"	30	FD530	\$50.00				
	50	FD550	\$50.00				
	100	FD5100	\$50.00				
	200	FD5200	\$50.00				

ELECTROPLATED PADS



- Best seller for polishing concrete & bench tops
- The product to use on softer natural stone such as marble, travertine, limestone and onyx
- Additional surfaces include limestone, fine wood, metal, even glass
- Best product to use on Pebble Tec® swimming pool surfaces or to remove the polish from granite to create a honed finish
- Very versatile, used on various floor grinding machines and hand-held grinders at any speed
- Fast but precise removal rate with 100% diamond exposure vs. impregnated pads or discs
- Finish the polishing process by using the resin polishing pads. Used wet or dry. Velcro backing.

SIZE	GRIT	PART#	PRICE	SIZE	GRIT	PART#	PRICE
5"	30	EP530	\$34.00	7"	30	EP730	\$55.00
	50	EP550	\$30.00		50	EP750	\$50.00
	70	EP570	\$30.00		70	EP770	\$50.00
	120	EP5120	\$28.00		120	EP7120	\$45.00
	220	EP5220	\$28.00		220	EP7220	\$45.00
	440	EP5440	\$28.00		440	EP7440	\$45.00

CORNER "TRIANGLE" PADS



- Electro plated on lower grits, 100% resin for polishing on the higher grits
- Used with oscillating multi-Tools, designed for blending and polishing around fixtures, inside corners (walls and stairs), intricate areas. Velcro backing.

SIZE	GRIT	PART#	PRICE	SIZE	GRIT	PART#	PRICE
3"	60	CEP360	\$22.00	3"	800	CRP3800	\$20.00
	120	CEP3120	\$22.00		1500	CR31500	\$20.00
	200	CEP3200	\$22.00		3000	CR33000	\$20.00
	400	CEP3400	\$22.00				

USA

Dust Guard



Div. of Scott Electric 800-388-2232, #2403

www.USADustGuard.com

Floor Grinders – Polishing: Semi-Metal & Resin



3" RESIN PADS

- 100% high quality resin bond for extra durability and producing the highest quality finish under the heaviest machines
- Lower grits (50 - 200) are metal impregnated (semi-metal)
- For use on all surfaces: concrete, marble or granite, terrazzo, engineered stone.
- Wet or dry use. Velcro backing.

SIZE	GRIT	PART#	PRICE	SIZE	GRIT	PART#	PRICE
3" x 9mm	50	PR30050	\$22.00	3" x 9mm	800	PR30800	\$22.00
	100	PR30100	\$22.00		1500	PR31500	\$22.00
	200	PR30200	\$22.00		3000	PR33000	\$22.00
	400	PR30400	\$22.00				\$22.00

3" SEMI-METAL TRANSITIONAL PADS — Hybrid: Wet & Dry Use.



- Used after the metal bond tools to remove their scratch pattern, followed by the resin tools
- Premium grade with high diamond content - can be used as an economical alternative to the finer metal bond tools
- A+ heat resistant for dry use, longer life and for use with the heaviest machines
- Aggressive bond that is great for transitioning between the metal and resin steps yet gentle enough on tight trowel floors with minimal swirl marks
- For use on concrete, terrazzo, marble and granite
- Velcro backing
- Hybrid Pad: Wet & Dry Use.

SIZE	GRIT	PART#	PRICE	SIZE	GRIT	PART#	PRICE
3" x 10mm	30	CRM3030	\$32.00	3" x 10mm	200	CRM3200	\$32.00
	50	CRM3050	\$32.00		400	CRM3400	\$32.00
	100	CRM3100	\$32.00				\$32.00

USA

**Dust
Guard**



Div. of Scott Electric 412-605-2992, #Direct

www.USADustGuard.com