

HEPAPro Vacuums (5)

Hazardous Material Recovery

Asbestos, Lead, Mold, Silica

Div of Scott Electric • 4120-605-2992, #Direct

GENUINE HEPA

HEPAPro Vacs - Certified & Exceeds the New EPA RRP & OSHA Silica Dust Standards

FAIL-SAFE, FULLY SEALED: all operating air is expelled through the True HEPA filter as per the EPA governing standard. If, for any reason, the HEPA filter is not installed correctly, the HEPAPro vacuum will fail to pick-up, preventing an unintentional leak or exposure to dust.

TRUE HEPA VACUUM: equipped with an oversized, true HEPA filter – individually tested and certified to be 99.97% efficient at 0.3 micron with a test label affixed to the filter (pic, right.)





CERTIFIED HEPA LABEL: True HEPA Filter with certified test label, complete with numbers: airflow, penetration rate and serial number.

HEPA "like" FILTERS: While they may resemble a true HEPA filter, are not built to the same standards and don't include the individually tested certification label with serial number. Vacuums that claim to provide clean air quality with "true" HEPA filtration, but the certification test label is not affixed to the filter are not guaranteed to have the HEPA efficiency rating of 99.97% @ 0.3 micron.

PRO 4



Technical Specifications:

Model: HEPAPro 4 *Silica* Item Number 125-1232-25-S

Motor: 1.5 HP

Motor Type: 2-Stage, Air Thru

 Amps:
 11.8

 Waterlift:
 130"

 CFM:
 150

Noise Level: 65 decibels Construction: Stainless Steel

> Tank, Molded Plastic Base and

Lid

Cord: 25 ft Warranty: 1 year

Shipping Info:

Weight 18 lbs.

Dimensions 17" x 17" x 28"

Pallet Qty 16

Price: \$349.00

4-Gallon HEPA Canister Vacuum

- Powerful 4-gallon, dry only HEPA vacuum with exceptional stability.
- Designed for the professional contractor for quick clean-ups, this HEPA vacuum has a low profile, compact design that makes it extremely maneuverable and easy to transport.
- Connect the HEPAPro 4 to power tools for superior dust management and to meet EPA's RRP requirements.
- Includes: 1.25" x 6ft. Hose, extension tube, telescoping wand, 2-position ergo slide floor tool, dusting tool, upholstery tool, crevice tool, collection bags (2)
- see page 4 & 5 for replacement tools and filters.

Features & Benefits

- 1.5 HP commercial grade motor provides the air-flow and suction of vacuums twice its size.
- HEPA filters are individually tested and certified to have a minimum effciency of 99.97% at 0.3 microns based on particle count test method, IEST-RP-CC001.
- Includes conveniently mounted electrical receptacle for connecting power nozzles.
- Onboard tools and power cord hooks for quick access and storage.
- Low profile design prevents tipping while providing greater mobility.
- Conveniently located foot activated on/off switch.
- Quiet operation for use in homes and public areas.
- Certification meets UL, CSA and EPA's RRP standards.







Fully Certified HEPA Dust Extractor Meets or exceeds all EPA RRP guideline requirements.



Technical Specifications:

Model: HEPAPro 10 *Silica* Item Number 125-1206-20-S

Motor: 2.0 HP

Motor Type: 2-Stage, By-Pass

Amps: 11.1 Waterlift: 105" CFM: 125

Power Tool Yes, 15 Amp Max, Outlet: power tool turns

vac on/off

Filtration: 5-Stage HEPA

Self-Clean

Construction: High Density, Rotational-Molded

Polyethylene Tank

Cord: 12/3 x 50 ft Warranty: 1 year

Shipping Info:

Pallet Qty

Weight 23 lbs.

Dimensions 16" x 16" x 25"

18

Price: \$639.00


10-Gallon HEPA Dust Extractor

- 100% HEPA Certified Vacuum exceeds EPA's Renovations, Repair and Painting Rule (RRP) for lead dust recovery, asbestos, bacteria, silica dust.
- Powerful 2-HP HEPA Vacuum, equipped with an individually tested and certified HEPA Filter providing a minimum efficiency of 99.97% at 0.3 microns.
- 10-Gallon Collection Yield A+ size, weight, performance and features to use on scaffold ~ holds 35 lbs. of silica dust without suction drop.
- Includes: 1.5" x 10' hose w/ end-cuffs, 2" ID cuff for dust guard, 2-piece steel wand, dusting brush, floor brush, crevice tool, (5) Air Pulse Filter Collection Bags (shipped separately) see page 5 for replacement tools and filters.

Features & Benefits — HEPA Pro Models: 10, 13, 13-250.

• 5-Stage Natural Self-Cleaning Filter: FAIL-SAFE, HEPA CRITICAL-DUST CERTIFIED, UNSTOPPABLE PERFORMANCE.

100% tank fill capacity without suction drop - work Longer, faster, no dirty filters to clean, HEPA filter is not directly exposed to incoming debris, protected by the Dacron bag (right): self-cleaning, washable. Three (3) downstream filters plus the Air Pulse collection bag protect the true HEPA filter. In the event of failure by one of the downstream filters, the HEPA filter and vacuum are both certified to prevent the bypass of dangerous matter back into the work area —all without using electronics.



- Powerful Suction Sustained by preventing a suction drop of just 10% increases motor life & reduces amperage draw by 33%!
- EXTREME & DIVERSE APPLICATIONS:
 - > Filter system withstands the most abusive applications including 600°F temperatures
 - > Besides vacuuming volumes of ultra fine powder without suction drop while keep the inside of the tank clean, the 5-stage filter system is ideally suited to vacuum hot mastic during coating removal projects.
- Compact size and design for use on scaffold or anywhere that space and power is limited won't trip a 20A breaker even when using a 15a grinder
- 3-HEPA Pro Models All with interchangeable motor heads, tanks, hoses, filters, parts, etc.
- 1-motor models (2) equipped with power tool outlet with capacity to power a 15 amp angle grinder w/o tripping a 20A breaker
- TOUGH-GUY STRONG, USA ENGINEERED:
 - > Ribbed hose barb for inlet won't break accepts both 1.5" and 2" hoses
 - > Heavy gauge power cord (12ga x 50'): eliminates needing an extension cord, extra thick "copper" wire helps prevent the motor from running hot & tripping breakers
 - > Tank, Lift Handle, Steel Hold-Down Clamps: structural ribbed, enforced polyethylene with rubber wheels & steel hold-down clamps to confirm to HEPA & OSHA silica dust regulations
 - > MOTORS: Uses the same Ametek 2-stage motors (right) that are used in the large concrete dust extractors vs. smaller, high CFM, 1-stage motors (far right) used in competitive vacs don't be misled by specification numbers, 2-stage motors always outperform and outlast!









Fully Certified HEPA Dust Extractor Meets or exceeds all EPA RRP guideline requirements.



Technical Specifications:

HEPAPro 13 Silica Model: 125-1209-20-S Item Number

Motor: 2.0 HP

Motor Type: 2-Stage, By-Pass

11.1 Amps: Waterlift: 105" CFM: 125

Power Tool Yes, 15 Amp Max, Outlet: power tool turns

vac on/off

Filtration: 5-Stage HEPA Self-Clean

Construction: High Density, Rotational-Molded

Polyethylene Tank

Cord: 12/3 x 50 ft Warrantv: 1 year

Shipping Info: Weight

Dimensions 14.5" x 18.5" x 27" Pallet Qty

12

30 lbs.

Price: \$670.00

13-Gallon HEPA Dust Extractor

 100% HEPA Certified Vacuum exceeds EPA's Renovations, Repair and Painting Rule (RRP) for lead dust recovery, asbestos, bacteria, silica dust.

 Powerful 2-HP HEPA Vacuum, equipped with an individually tested and certified HEPA Filter providing a minimum efficiency of 99.97% at 0.3 microns.

 13-Gallon Collection Yield - A+ size, weight, performance and features to use on scaffold ~ holds 50 lbs. of silica dust without suction drop.

• Includes: 1.5" x 10' hose w/ end-cuffs, 2" ID cuff for dust guard, 2-piece steel wand, dusting brush, floor brush, crevice tool, (5) Air Pulse Filter Collection Bags (shipped separately) — see page 5 for replacement tools and filters.

:|=**:**|\PR013-250



Fully Certified

HEPA Dust Extractor Meets or exceeds all EPA RRP

guideline requirements.

Technical Specifications:

Model: HEPAPro 13-250 Silica Item No. 125-1210-20-S

Motor: 3.4 HP

Motor Type: 2-Stage, By-Pass

Amps: 8.0 x 2 Waterlift: 100" CFM: 250 Power Tool No Outlet:

Filtration:

5-Stage HEPA Self-

Clean

Construction: High Density,

Rotational-Molded Polyethylene Tank

Cord: 12/3 x 50 ft Warranty: 1 year

Shipping Info:

Weight 35 lbs.

Dimensions 14.5" x 18.5" x 32" Pallet Qty

Price: \$1,340.00

13-Gallon HEPA Dust Extractor

- 100% HEPA Certified Vacuum exceeds EPA's Renovations, Repair and Painting Rule (RRP) for lead dust recovery, asbestos, bacteria, silica dust.
- Powerful 2-HP HEPA Vacuum, equipped with an individually tested and certified HEPA Filter providing a minimum efficiency of 99.97% at 0.3 microns.
- 13-Gallon Collection Yield A+ size, weight, performance and features to use on scaffold ~ holds 50 lbs. of silica dust without suction drop.
- Includes: 2.0" x 20' hose w/ end-cuffs, 2" ID cuff for dust guard, (5) Air Pulse Filter Collection Bags (shipped separately) — see page 5 for replacement tools and filters.





Fully Certified HEPA Dust Extractor Meets or exceeds all EPA RRP guideline requirements.



Technical Specifications:

Model: HEPAPro 10EB Item Number 125-1254-20 1.7 HP, 1200 Watt Motor: Motor Type: 2-Stage, Air Thru Amps: 10.0 Waterlift: 130" CFM: 150 Filtration: 4-stage: HEPA filter, drop-in cloth protection bag, two-ply disposable micro-fiber bag Noise Level: 60 decibels Construction: Blow-molded polyethylene body, padded nylon harness Cord: 18 in 1 year Warranty:

> 23 lbs. 14" x 15" x 30"

18

Price: \$430.00

Shipping Info:

Dimensions

Pallet Qty

Weight

2.5-Gallon HEPA Dust Extractor

- Powerful 10-quart, dry only HEPA backpack vacuum with exceptional suction power and collection yield.
- Four-stage filtration including individually tested and certified HEPA filter to assure clean air exhaust.
- Automatic Air Pulse, Self-Cleaning Filter: Two benefits: sustains suction performance and increases collection yield by "trash compacting" the extracted debris in the large, oversize, micro-fiber collection bag.
- Padded harness with handle allows for free arm movement, enhancing cleaning performance while minimizing stress to the operator's body.
- Lightweight, polyethylene body resists impacts and withstands years of professional use.
- Includes: 1.5" x 6ft. hose, 2-piece aluminum wand, round dusting brush, multi-surface floor tool, crevice tool, upholstery tool see the following for replacement tools and filters.

Tools & Accessories				HEPA Pro Model					
Item	PN	Description	Price	UM	HP4	HP10	HP13	HP13-250	HP10EB
Hose	122-3012-14	6' x 1.5"	\$34.60	Ea					х
Micro-Fiber Collection Bag	122-3228-14		\$3.40	Ea					x
HEPA Filter	127-3321-14		\$134.00	Ea					x
Pre-Filter, Drop-In	122-3230-14		\$10.90	Ea					x
HEPA Filter Exhaust	124-7344-14		\$11.10	Ea					х
Exhaust Cover Plate	124-7343-14		\$3.20	Ea					х
2-Piece Aluminum Wand	122-3025-14-1	5' x 1.5"	\$43.30	Ea					х
45° Round Dusting Brush	122-3030-14	2" x 1.5"	\$6.50	Ea					х
Multi-Surface Floor Tool	122-3044-14	14" x 1.5"	\$14.70	Ea					х
Crevice Tool	122-3060-14	17" x 1.5"	\$4.90	Ea					х
Upholstery Tool	122-3070-14	4" x 1.5"	\$3.80	Ea					х

Tools & Accessories				HEPA Pro Model					
Item	PN	Description	Price	UM	HP4	HP10	HP13	HP13-250	HP10EB
Hose	122-3011-14	6' x 1.25"	\$18.70	Ea	х				
Hose	122-3011-141	20' x 1.25"			x				
Micro-Fiber Collection Bag	122-3203-14		\$3.20	Ea	x				
HEPA Filter	127-3300-14		\$117.00	Ea	x				
Telescoping Wand	122-3021-14		\$16.00	Ea	x				
Extension Tube	122-3022-14		\$6.70	Ea	х				
2-Position Ergo Slide Floor Tool	122-3041-14		\$16.40	Ea	x				
45° Round Dusting Brush	122-3031-14	2" x 1.25"	\$3.20	Ea	x				
Upholstery Tool	122-3071-14	3" x 1.25"	\$2.50	Ea	x				
Crevice Tool	122-3061-14	7" x 1.25"	\$2.50	Ea	х				
Electric Power Nozzle	122-3400-10	14" x 1.25"		Ea	х				
Hose	122-3014-14	10' x 1.5"	\$36.20	Ea		х	х	х	
Hose	122-3016-14	20' x 2"	\$52.10	Ea		х	х	х	
Air Pulse Collection Bag	136514		\$550.00	50		х	х	х	
HEPA Filter	127-3305-14		\$209.00	Ea		х	х	х	
Dacron Filter Bag	122-3222-14		\$9.60	Ea		х	х	х	
Spacer Sleeve (perimeter)	128-7503-14		\$14.00	Ea		x	х	x	
Pre-Filter (bottom)	128-7504-14		\$3.60	Ea		х	х	x	
2-Piece Steel Wand	122-3020-14-1	5' x 1.5"	\$47.00	Ea		х	х	x	
45° Round Dusting Brush	122-3030-14	2" x 1.5"	\$6.50	Ea		х	х	x	
Floor Brush Tool	122-3040-14-1	14" x 1.5"	\$14.50	Ea		x	х	x	
Crevice Tool	122-3060-14	17" x 1.5"	\$4.90	Ea		x	Х	x	
Upholstery Tool	122-3070-14	4" x 1.5"	\$3.80	Ea		x	x	x	

