

# USA

# Dust Guard



## Cup Wheels — 2023 Price List

**Free Angle Grinders (3)  
& Surface Dust Shrouds (4)**

**With Purchase of Cup Wheels**

Div. of Scott Electric • 412-605-2992 (Direct#)

[www.USADustGuard.com](http://www.USADustGuard.com)

### Free Angle Grinders & Dust Shrouds (see page 4 for dust shrouds) \*



\* Free with (8) wheel purchase

#### Fein CG13-150 — 5/6", 13 Amp, Single Speed, Low 9300 RPM

- Unrivaled Reputation, Performance, Durability, 3-Year Warranty (with registration)
- Compact, Slim-Line Barrel / Holding Comfort, Soft Start / Low Amp Draw Motor
- Solid Metal Gear Head – no plastic components
- Dust Protection Grille – for protection from extensive dust
- High Torque Motor, Low 9300 RPM Speed – power through hard mortar with less dust
- High Reserve Capacity Motor – provides natural, built-in cooling for longer life
- Includes a 5" and 6" standard blade guard.



\* Free with (12) wheel purchase.

#### Makita 9565CV — 5", 13 Amp, Variable Speed

- Slide on/off switch for continuous tool use
- Variable speed, 2800 - 10500 RPM
- SJS technology is a mechanical clutch system (no electronics) that helps prevent motor and gear damage for longer life
- Soft-start, low amp draw motor
- Dust protection grille - extensive protection from excessive dust
- Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- Spiral bevel gears for smoother rotations and a more efficient transfer of energy.



\* Free with (12) wheel purchase.

#### Milwaukee 6088-30 — 9", 15 Amp, Low 6000 RPM

- 6,000 RPM - optimal wheel speed for material removal
- Spiral bevel gears for smoother rotations and a more efficient transfer of energy
- Trigger lock-on switch for long hours of heavy-duty use in demanding applications
- High overload protection and power for difficult applications
- Tool-less wheel guard for more convenient adjustments
- Includes: 9" Tool-less wheel guard, Inner Flange Nut, Wire Mesh Intake Cover, Side Handle, Wrench, 5-Yr Warranty.

## CUP WHEELS — Specific Wheels for Grinding, Coating Removal, Combination



**COARSE 10/12 GRIT — GRINDING SURFACE PREP WHEEL Low Profile**

- Coarse 10/12 Grit. Very fast, aggressive grinding. Leaves uniform low scratch pattern.
- Best choice for surface prep contractors working with a concrete surface profile of 2-3
- Coarse 10/12 grit for sealers and coatings to impregnate and bond into the concrete.

COARSE 10 / 12 GRIT —  
"Best Choice for Aggressive Grinding And Re-Sealing."

5/8-11	5", 10 Segs	325843	\$100.00
	7", 12 Segs	344644	\$145.00



**T-SEGMENTED — Grinding, XL Life All low profile wheels fit Hilti shrouds. Low Profile**

- Medium 30 / 40 Grit. Very versatile, great all around performer - High Quality
- Ideal for rough surfaces leading to smoothing. A+ on concrete surface profile of 2-3.
- Provides fast, smooth grinding action for cutting, grinding or polishing concrete, stone.

PREMIUM 7/8" - 5/8"	4.5"	TS45A	\$85.00	PREMIUM 5/8-11	4.5"	181391	\$85.00
	5"	TS05A	\$95.00		5"	181403	\$95.00
	7"	TS07A	\$125.00		7"	181406	\$125.00



### TURBO FAN — Combination: Coating Removal & Grinding

**Low Profile**

- Fast grinding & light coating removal rate.
- Great for fast concrete cutting, laitance and over pour removal
- Quickly removes light coatings of epoxy, mastic, paint, urethane & other membrane materials from concrete without material buildup
- Premium, ideal wheel for contractors looking for lower cost per unit
- Works great on a concrete surface profile of 2-3.

<b>PREMIUM</b> 7/8" - 5/8"	4.5", 9 Seg	TF45A	\$65.00	<b>PREMIUM</b> 5/8-11	4.5", 9 Seg	97905	\$65.00
	5", 9 Seg	TF05A	\$70.00		5", 9 Seg	97852	\$70.00
	7", 12 Seg	TF07A	\$95.00		7", 12 Seg	97853	\$95.00
<b>ECONOMY</b> 7/8" - 5/8"	4.5", 9 Seg	TTF45A	\$50.00	<b>ECONOMY</b> 5/8-11	4.5", 9 Seg	TTF45PH	\$50.00
	7", 12 Seg	TTF07A	\$73.00		7", 12 Seg	TTF07PH	\$73.00



### DOUBLE ROW SEGMENTED — Grinding, XL Life

- Medium 30 / 40 Grit. Favorite choice of concrete contractors & floor coating contractors.
- Medium grinding speed to remove laitance and over pour
- Good choice for surface prep contractors working with a concrete surface profit of 2-3
- XXL Life vs. single row or turbo grinding wheels.

<b>PREMIUM</b> 7/8" - 5/8"	4.5"	CD45A	\$85.00	<b>PREMIUM</b> 5/8-11	4.5"	CD45PH	\$85.00
	5"	CD05A	\$95.00		5"	136653	\$95.00
	7"	CD07A	\$139.00		7"	136654	\$139.00
<b>ECONOMY</b> 7/8" - 5/8"	4.5"	TCD45A	\$69.00	<b>ECONOMY</b> 5/8-11	4.5"	TCD45PH	\$69.00
	5"	TCD05A	\$75.00		5"	TCD05PH	\$75.00
	7"	TCD07A	\$92.00		7"	TCD07PH	\$92.00



### S-SEGMENTED — Combination: Coating Removal & Grinding

- 20 Grit S-Segment. A+ for light coating removal and rough grinding, leaves the pores of the surface open for adhesion of sealers and coatings
- Favorite choice of concrete contractors & floor coating professionals
- XL Life, A+ Productivity ~ Great for surface prep, blending, paint, glue, epoxy or thin film removal
- Originally designed for use on terrazzo floors with coatings
- This tool makes floor prep easier and faster while providing a quality finish and decreasing labor.

7/8" - 5/8"	4.5"	S4520A	\$99.00	5/8-11	4.5"	195203	\$99.00
	5"	S0520A	\$120.00		5"	136722	\$120.00
	7"	S0720A	\$145.00		7"	136728	\$145.00



### ARROW PLOW SEGMENT — Combination: Coating Removal & Grinding

- Fast removal rate + grinding, XXL Life. Favorite choice of floor coating contractors.
- Fast cutting, quickly removes laitance and over pours. 30 / 40 Diamond Grit.
- Arrow shaped segments knocks off thick coatings of epoxy, mastic, urethane, membrane materials
- High productivity, 10mm segment height for long life — Fast Cutting, Very Aggressive
- Great for surface prep and paint, glue, epoxy, thick or thin film removal
- A+ choice for surface prep contractors working with a concrete surface profit of 2:3.

7/8" - 5/8"	4.5", 5 Segs	A45A	\$79.00	5/8-11	4.5", 5 Segs	A45PH	\$79.00
	5", 6 Segs	A05A	\$89.00		5", 6 Segs	A05PH	\$89.00
	7", 10 Segs	A07A	\$106.00		7", 10 Segs	A07PH	\$106.00



\* Quarter Round PCD

## COATING REMOVAL - PCD

Low Profile


- Finest PCD in the industry. Surest tool to remove soft to extremely hard, thin or thick adhesives, sealers, coatings including hardest sealers
- **QUARTER ROUND** - Larger, quarter round & alternating segment design provides aggressive coating and mastic removal. Ideal for heavier, harder and thicker coatings.
- **CHIP** - Smaller, chip diamonds & alternating segment design provides more stable grinding operation & prevents against diamond loss delivering superior performance & longevity
- \* both wheels (Quarter & Chip) include 5/8"-11 removable threaded nut to accommodate all shrouds.

\* Chip PCD



QUARTER ROUND PCD	4.5", 5 Segs 5", 6 Segs 7", 9 Segs	97843 97848 97850/191026	\$145.00 \$175.00 \$255.00	CHIP PCD	4.5", 9 Segs 5", 12 Segs 7", 18 Segs	PCDC4510 PCDC0512 191017	\$115.00 \$139.00 \$219.00
-------------------	--	--------------------------------	----------------------------------	----------	--	--------------------------------	----------------------------------

## CUT'N GRIND — Granite ! Cured Concrete ! Pavers ! Sidewalk Trip Hazards ! Concrete through Steel Deck.



2-in-1 Diamond Blade works like a cup wheel — equipped with flush mount holes to cut like a blade & smooth like a cup wheel (grinding raised edges over 1/4" takes too long.)

Cut *and* grind the hardest material like granite & concrete pavers with ease.

Requires the Flush Cut Adaptor.



TH4508C  
TH0508C  
TH0609U  
TH0709U

4.5" x .087 x 7/8"  
5" x .087 x 7/8"  
6" x .087 x 7/8"-U  
7" x .095 x 7/8"-U

\$35.00  
\$38.00  
\$46.00  
\$55.00

#FCA - Flush Cut Adapter with 5/8-11 threads and (4) screws. \$16.90

## ABRASIVE ZEK DISCS — Removes the following w/o loading the disc: Mastic ! Urethane ! Thinset ! Paint.



> Long lasting, aggressive removal of many materials including carpet glue, construction adhesives and stucco without loading the discs or melting the coating

> Reinforced plastic back eliminates the need for a backer pad (Type 27).

AZ45W8

4.5", 8 Grit, 7/8" Arbor  
\$ 30.00 / 5 pk

\$860.00  
180 Case

AZ07W8

7", 8 Grit, 7/8" Arbor  
\$46.00 / 5 pk

\$584.00  
80 Case



# Dust Shrouds — Free with Purchase of (6) Cup Wheels



**DUST SHROUDS WITH SLIDE NOSE!**

HD • Bristle Dust Skirt • Universal

**HD Housing - "Football Helmet Tough"**

Accepts 2-Types of Cup Wheel:

Low Profile with 5/8-11 Hub ! 7/8" Arbor

\$95.00 – 5" Shroud \*  
[#619611]

\$119.00 – 7" Shroud \*  
[#607773]

\* **FREE Shroud** (any size or type) with purchase of [6] cup wheels.

- Includes assorted insert bushings to fit most angle grinders
- **Vac / Dust Port Opening:** 5" Shroud, 1-1/2"; 7" Shroud, 2"
- Accepts cup wheels with 5/8" & 7/8" arbors or with 5/8-11 threaded hub
- Unique air slots for efficient air flow – *prevents suck-down from occurring*
- Retractable edge cover to grind wall edges and objects.
- HD, Nylon Bristle Dust Skirt – follows the contour of the floor, *allows the operator to adjust downward pressure.*



## 5" & 7" Universal Dust Shrouds

HD Durable Shrouds with Retractable Edge Covers for Edging along Walls and Objects

**Accepts any type of Cup Wheel:**  
Low Profile ! 5/8-11 Hub ! 7/8" Arbor

- > Installs on most grinders, includes assorted collar bushings, hose connector, cup wheel 5/8-11 nut, off-set spanner wrench (fits inside the shroud to eliminate pinched fingers)
- > Retractable edge cover enables you to grind along wall edges and objects. Shrouds with removable edge covers are known to break or get lost.

5" HD Universal Shroud - shown installed on Variable Speed Makita Angle Grinder (models: 9564CV, 9565CV, 9566CV.)

Both 5" & 7" shrouds accept 1-1/4" ID smooth-end cuffs.

Or use the Universal Adapter to use 1.5" ID smooth-end cuffs.



\* **FREE Shroud** (any size or type) with purchase of [6] cup wheels.

5" Shroud \*  
[#168513]

**\$95.00**

7" Shroud \*  
[#168517]

**\$119.00**



## Faster Production w/ 120 Volt Floor Grinders: (4) sizes: 10", 13", 17", 20", 26".

— Concrete Grinding, Coating Removal, Polish, Dust Control. Versatility & HD Durability.

Made in USA — "These machines don't break & virtually maintenance free!"



Diamond Driver Plate - for grinders (left)

- > Accepts complete array of diamonds, scarify scrapers, PCD, polishing pads.

< [click here for grinder, plate, tooling info](#) >

