

# USA

# Dust Guard



## Cup Wheels — 2024 Price List

Free Angle Grinders

5" & 7" Dust Shrouds

— With Cup Wheel Purchase

Div. of Scott Electric • 412-605-2992 (Direct#)

[www.USADustGuard.com](http://www.USADustGuard.com)

### Free — Angle Grinders & Surface Dust Shrouds \*



\* Free with (8) wheel purchase

#### Fein CG13-150 — 5/6", 13 Amp, Single Speed, Low 9300 RPM

- Unrivaled Reputation, Performance, Durability, 3-Year Warranty (with registration)
- Compact, Slim-Line Barrel / Holding Comfort, Soft Start / Low Amp Draw Motor
- Solid Metal Gear Head – no plastic components
- Dust Protection Grille – for protection from extensive dust
- High Torque Motor, Low 9300 RPM Speed – power through hard mortar with less dust
- High Reserve Capacity Motor – provides natural, built-in cooling for longer life
- Includes a 5" and 6" standard blade guard.



\* Free with (10) wheel purchase.

#### Makita 9565CV — 5", 13 Amp, Variable Speed

- Slide on/off switch for continuous tool use
- Variable speed, 2800 - 10500 RPM
- SJS technology is a mechanical clutch system (no electronics) that helps prevent motor and gear damage for longer life
- Soft-start, low amp draw motor
- Dust protection grille - extensive protection from excessive dust
- Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- Spiral bevel gears for smoother rotations and a more efficient transfer of energy.



\* Free with (10) wheel purchase.

#### Milwaukee 6088-30 — 9", 15 Amp, Low 6000 RPM

- 6,000 RPM - optimal wheel speed for material removal
- Spiral bevel gears for smoother rotations and a more efficient transfer of energy
- Trigger lock-on switch for long hours of heavy-duty use in demanding applications
- High overload protection and power for difficult applications
- Tool-less wheel guard for more convenient adjustments
- Includes: 9" Tool-less wheel guard, Inner Flange Nut, Wire Mesh Intake Cover, Side Handle, Wrench, 5-Yr Warranty.




\* Free with (6) wheel purchase.

Accepts any type of cup wheel or abrasive grinding disc - low or high profile:

- > Type 27 - raised hub w 7/8" hole
- > 5/8-11 threaded hub.

#### Pro Performance — Surface Dust Shrouds, 5" & 7"

- Spring-Loaded Diaphragm with HD Mechanical Attachment - automatically adjusts flush to the surface, no skirt adjustments nor downward pressure required *plus* 360° of constant dust skirt coverage assures maximum dust containment even as the diamonds wear and across all surface types
- Shroud glides easily and effortlessly across any type of surface
- Universal Collar with Metal Cleats - Solid, HD Mechanical Attachment. Installs onto most grinders and polishers, no insert spacers or parts to lose.
- Use any type of diamond cup wheel or abrasive grinding disc: 5/8"-11 threaded, Type 27, low profile, etc.
- Retractable Edge Cover - accommodates tight spaces and wall work, nothing to take apart or parts to lose
- 1-1 2" Hose Connection - outside diameter of dust exhaust port for both sizes (5" & 7")
- Replacement Parts Available: Metal cleats, banding clamp, springs, brush skirts.



**CUP WHEEL SELECTION** — see following two (2) pages



**COARSE 10/12 GRIT — GRINDING SURFACE PREP WHEEL** **Low Profile**

- Coarse 10/12 Grit. Very fast, aggressive grinding. Leaves uniform low scratch pattern.
- Best choice for surface prep contractors working with a concrete surface profile of 2-3
- Coarse 10/12 grit for sealers and coatings to impregnate and bond into the concrete.


|  |  |        |             |               |          |
|--|--|--------|-------------|---------------|----------|
| <b>COARSE 10 / 12 GRIT —<br/>"Best Choice for Aggressive Grinding And Re-Sealing."</b> |  | 5/8-11 | 5", 10 Segs | <b>325843</b> | \$100.00 |
|  |  |        | 7", 12 Segs | <b>344644</b> | \$145.00 |



**T-SEGMENTED — Grinding, XL Life** All low profile wheels fit Hilti shrouds. **Low Profile**

- Medium 30 / 40 Grit. Very versatile, great all around performer - High Quality
- Ideal for rough surfaces leading to smoothing. A+ on concrete surface profile of 2-3.
- Provides fast, smooth grinding action for cutting, grinding or polishing concrete, stone.

|                                |      |       |          |                           |      |               |          |
|--------------------------------|------|-------|----------|---------------------------|------|---------------|----------|
| <b>PREMIUM<br/>7/8" - 5/8"</b> | 4.5" | TS45A | \$85.00  | <b>PREMIUM<br/>5/8-11</b> | 4.5" | <b>181391</b> | \$85.00  |
|                                | 5"   | TS05A | \$95.00  |                           | 5"   | <b>181403</b> | \$95.00  |
|                                | 7"   | TS07A | \$125.00 |                           | 7"   | <b>181406</b> | \$125.00 |



**TURBO FAN — Combination: Coating Removal & Grinding** **Low Profile**

- Fast grinding & light coating removal rate.
- Great for fast concrete cutting, laitance and over pour removal
- Quickly removes light coatings of epoxy, mastic, paint, urethane & other membrane materials from concrete without material buildup
- Premium, ideal wheel for contractors looking for lower cost per unit
- Works great on a concrete surface profile of 2-3.

|                                |             |        |         |                           |             |              |         |
|--------------------------------|-------------|--------|---------|---------------------------|-------------|--------------|---------|
| <b>PREMIUM<br/>7/8" - 5/8"</b> | 4.5", 9 Seg | TF45A  | \$65.00 | <b>PREMIUM<br/>5/8-11</b> | 4.5", 9 Seg | <b>97905</b> | \$65.00 |
|                                | 5", 9 Seg   | TF05A  | \$70.00 |                           | 5", 9 Seg   | <b>97852</b> | \$70.00 |
|                                | 7", 12 Seg  | TF07A  | \$95.00 |                           | 7", 12 Seg  | <b>97853</b> | \$95.00 |
| <b>ECONOMY<br/>7/8" - 5/8"</b> | 4.5", 9 Seg | TTF45A | \$50.00 | <b>ECONOMY<br/>5/8-11</b> | 4.5", 9 Seg | TTF45PH      | \$50.00 |
|                                | 7", 12 Seg  | TTF07A | \$73.00 |                           | 7", 12 Seg  | TTF07PH      | \$73.00 |



**DOUBLE ROW SEGMENTED — Grinding, XL Life**

- Medium 30 / 40 Grit. Favorite choice of concrete contractors & floor coating contractors.
- Medium grinding speed to remove laitance and over pour
- Good choice for surface prep contractors working with a concrete surface profit of 2-3
- XXL Life vs. single row or turbo grinding wheels.

|                                |      |        |          |                           |      |               |          |
|--------------------------------|------|--------|----------|---------------------------|------|---------------|----------|
| <b>PREMIUM<br/>7/8" - 5/8"</b> | 4.5" | CD45A  | \$85.00  | <b>PREMIUM<br/>5/8-11</b> | 4.5" | CD45PH        | \$85.00  |
|                                | 5"   | CD05A  | \$95.00  |                           | 5"   | <b>136653</b> | \$95.00  |
|                                | 7"   | CD07A  | \$139.00 |                           | 7"   | <b>136654</b> | \$139.00 |
| <b>ECONOMY<br/>7/8" - 5/8"</b> | 4.5" | TCD45A | \$69.00  | <b>ECONOMY<br/>5/8-11</b> | 4.5" | TCD45PH       | \$69.00  |
|                                | 5"   | TCD05A | \$75.00  |                           | 5"   | TCD05PH       | \$75.00  |
|                                | 7"   | TCD07A | \$92.00  |                           | 7"   | TCD07PH       | \$92.00  |

## S-SEGMENTED — Combination: Coating Removal & Grinding



- 20 Grit S-Segment. A+ for light coating removal and rough grinding, leaves the pores of the surface open for adhesion of sealers and coatings
- Favorite choice of concrete contractors & floor coating professionals
- XL Life, A+ Productivity ~ Great for surface prep, blending, paint, glue, epoxy or thin film removal
- Originally designed for use on terrazzo floors with coatings
- This tool makes floor prep easier and faster while providing a quality finish and decreasing labor.

|             |      |        |          |        |      |        |          |
|-------------|------|--------|----------|--------|------|--------|----------|
| 7/8" - 5/8" | 4.5" | S4520A | \$99.00  | 5/8-11 | 4.5" | 195203 | \$99.00  |
|             | 5"   | S0520A | \$120.00 |        | 5"   | 136722 | \$120.00 |
|             | 7"   | S0720A | \$145.00 |        | 7"   | 136728 | \$145.00 |

## ARROW PLOW SEGMENT — Combination: Coating Removal & Grinding



- Fast removal rate + grinding, XXL Life. Favorite choice of floor coating contractors.
- Fast cutting, quickly removes laitance and over pours. 30 / 40 Diamond Grit.
- Arrow shaped segments knocks off thick coatings of epoxy, mastic, urethane, membrane materials
- High productivity, 10mm segment height for long life — Fast Cutting, Very Aggressive
- Great for surface prep and paint, glue, epoxy, thick or thin film removal
- A+ choice for surface prep contractors working with a concrete surface profit of 2:3.

|             |              |      |          |        |              |       |          |
|-------------|--------------|------|----------|--------|--------------|-------|----------|
| 7/8" - 5/8" | 4.5", 5 Segs | A45A | \$79.00  | 5/8-11 | 4.5", 5 Segs | A45PH | \$79.00  |
|             | 5", 6 Segs   | A05A | \$89.00  |        | 5", 6 Segs   | A05PH | \$89.00  |
|             | 7", 10 Segs  | A07A | \$106.00 |        | 7", 10 Segs  | A07PH | \$106.00 |

## COATING REMOVAL - PCD

**Low Profile**



\* Quarter Round PCD

- TOUGHEST, LONGEST LASTING PCD CUTTERS: Made with mining grade polycrystalline diamond (PCD) - our PCD's are the finest in the industry! Surest tool to remove soft to extremely hard, thin or thick adhesives, sealers, coatings including hardest sealers
- **QUARTER ROUND** - Larger, quarter round & alternating segment design provides aggressive coating and mastic removal. Ideal for heavier, harder and thicker coatings.
- **CHIP** - Smaller, chip diamonds & alternating segment design provides more stable grinding operation & prevents against diamond loss delivering superior performance & longevity
- \* both wheels (Quarter & Chip) include 5/8"-11 removable threaded nut to accommodate all shrouds.

\* Chip PCD



|                   |              |              |          |          |              |          |          |
|-------------------|--------------|--------------|----------|----------|--------------|----------|----------|
| QUARTER ROUND PCD | 4.5", 5 Segs | 97843        | \$145.00 | CHIP PCD | 4.5", 9 Segs | PCDC4510 | \$115.00 |
|                   | 5", 6 Segs   | 97848        | \$175.00 |          | 5", 12 Segs  | PCDC0512 | \$139.00 |
|                   | 7", 9 Segs   | 97850/191026 | \$255.00 |          | 7", 18 Segs  | 191017   | \$219.00 |

## ABRASIVE ZEK DISCS — Removes the following w/o loading the disc: Mastic ! Urethane ! Thinsit ! Paint.



- > Long lasting, aggressive removal of many materials including carpet glue, construction adhesives and stucco without loading the discs or melting the coating
- > Type 27 (raised hub) with reinforced backing to eliminate need for backing pad.

|        |   |                      |
|--------|---|----------------------|
| 107655 | 4.5", 8 Grit, 7/8" Arbor<br>\$ 30.00 / 5 pk | \$645.00<br>135 Case |
| 107490 | 7", 8 Grit, 7/8" Arbor<br>\$46.00 / 5 pk    | \$584.00<br>80 Case  |